



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re U.S. Patent Application of

**HARADA et al.**

**Serial Number: 10/687,614**

**Filed: October 20, 2003**

**For: REMOVAL METHOD FOR COATING OF  
POLYMER COATED GLASS CAPILLARY  
TUBING AND POLYMER COATED GLASS  
CAPILLARY TUBING**

**Attorney Docket No. HIRA.0125**

**Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450**

**Art Unit 1753**

**Examiner Surekha Vathyam**

**PETITION FOR EXTENSION OF TIME**

Sir:

Applicants request that the time for taking action in this case be extended pursuant to 37 C.F.R. § 1.136(a) for **two (2) months**. The fee set in 37 C.F.R. § 1.17 for the extension of time is \$460.00.

Please charge any additional fee required for this extension of time to Deposit Account 08-1480. A duplicate copy of this paper is enclosed.

Also filed is a *Request for Continued Examination and an Response/ Preliminary Amendment*.

Respectfully submitted,

11/01/2007 SSITHIB1 00000022 10687614  
02 FC:1252 460.00 0P

Stanley P. Fisher  
Registration Number 24,344

Juan Carlos A. Marquez  
Registration Number 34,072

**REED SMITH LLP**  
3110 Fairview Park Drive  
Suite 1400  
Falls Church, Virginia 22042  
(703) 641-4200  
**October 31, 2007**